

	Type	Hits	Search Text	DBs
1	BRS	32395	illuminat\$4 near (device or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	2850878	lamp or light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	2855672	(illuminat\$4 near (device or apparatus)) or (lamp or light)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	528684	(light near source) or bulb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	26223	((light near source) or bulb) with adjust\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	109097	((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	4490	((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	160	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and motor and cam	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	3	("3229082" "5911502" "5971574").PN.	USPAT
10	BRS	2	6206555.URPN.	USPAT
11	BRS	3	("4513357" "5047902" "5122935").PN.	USPAT
12	BRS	12	5911502.URPN.	USPAT
13	BRS	2809	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor or mechan\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	178	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor or mechan\$6)) and 362/277,285-289,507,508,549,296,310. ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	541	motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	117	motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel) and rack and pinion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
17	BRS	0	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel) and rack and pinion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	(motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel) and rack and pinion) and 362/277,285-289,507,508,549,296,310. ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	(motor and (cam with gear\$3) and (worm near3 shaft) with (worm near3 wheel)) and 362/277,285-289,507,508,549,296,310. ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	34344	motor and rack and pinion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	77	(((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor and rack and pinion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	275	((((light near source) or bulb) with adjust\$5) and (motor and rack and pinion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	77	((((light near source) or bulb) with adjust\$5) and (motor and rack and pinion) and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	198	(((((light near source) or bulb) with adjust\$5) and (motor and rack and pinion)) not (((((light near source) or bulb) with adjust\$5) and (((illuminat\$4 near (device or apparatus)) or (lamp or light)) and reflector)) and (motor and rack and pinion))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	IS&R	1	("6247835").PN.	USPAT
27	BRS	1	"5911502".PN.	USPAT
28	BRS	1	6247835.URPN.	USPAT
29	IS&R	1	("5017327").PN.	USPAT

	Type	Hits	Search Text	DBs
30	BRS	13	("1220395" "1610127" "2186439" "2212975" "2217790" "3428800" "3798668" "4410933" "4429471" "4536832" "4602321" "4675794" "4692844").PN.	USPAT
31	BRS	22	("1845214" "2009145" "2192520" "2214728" "2625851" "2659038" "2660926" "2687669" "2841065" "2950382" "2951430" "3045208" "3085468" "3184307" "3515800" "3529889" "3833295" "3845351" "3883243" "4037097" "4043646" "4392187").PN.	USPAT
32	BRS	51	4602321.URPN.	USPAT
33	BRS	51	4602321.URPN.	USPAT
34	BRS	1650	362/485,551,559,581,459.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	6	362/485,551,559,581,459.ccls. and (rack with pinion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	2	("5193905" "5351170").PN.	USPAT
37	BRS	4	5779343.URPN.	USPAT
38	BRS	58317	(rack with pinion)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	792	(rack with pinion) with (benefit or advantage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	345	((rack with pinion) with (benefit or advantage)) and motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	57	((rack with pinion) with (benefit or advantage)) and motor and (light or bulb)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	57	((rack with pinion) with (benefit or advantage)) and motor and (light or bulb or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	(((rack with pinion) with (benefit or advantage)) and motor and (light or bulb or lamp)) not (((rack with pinion) with (benefit or advantage)) and motor and (light or bulb))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	IS&R	1	("5029058").PN.	USPAT
45	BRS	5023	362/277,285-289,507,508,549,296,310.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	32591	illuminat\$4 near (device or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	2860005	lamp or light	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	530549	(light near source) or bulb	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	85682	((light near source) or bulb) with (adjust\$6 or mov\$6 or focus\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
50	BRS	880	362/277,285-289,507,508,549,296,310. ccls. and (((light near source) or bulb) with (adjust\$6 or mov\$6 or focus\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	273	362/277,285-289,507,508,549,296,310. ccls. and (((light near source) or bulb) with (adjust\$6 or mov\$6 or focus\$6)) and motor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	206	362/277,285-289,507,508,549,296,310. ccls. and (((light near source) or bulb) with (adjust\$6 or mov\$6 or focus\$6)) and motor and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB